























## LISTA DE PRECIOS PVP<sub>r</sub>

<b>Rollos de LEDs SMD Flexible y adhesivo con Iluminación frontal</b>	
FU-BLF-3528-RO-001	Light Ribbon: smd3528, 12Vdc, 5 meter/reel, 500*8*2.4mm,300leds, red <span style="color: red;">■</span> 162,83
FU-BLF-3528-AZ-001	Light Ribbon: smd3528, 12Vdc, 5 meter/reel,500*8*2.4mm, 300leds, blue <span style="color: blue;">■</span> 165,54
FU-BLF-3528-VE-001	Light Ribbon: smd3528, 12Vdc, 5 meter/reel,500*8*2.4mm,300leds, green <span style="color: green;">■</span> 176,40
FU-BLF-3528-AB-001	Light Ribbon: smd3528, 12Vdc, 5 meter/reel,500*8*2.4mm,300leds, yellow <span style="color: yellow;">■</span> 198,11
FU-BLF-3528-BF-001	Light Ribbon: smd3528, 12Vdc, 5 meter/reel,500*8*2.4mm,300leds, pure white <span style="color: white;">■</span> 206,25
FU-BLF-3528-BC-001	Light Ribbon: smd3528, 12Vdc,5 meter/reel,500*8*2.4mm, 300leds, warm white <span style="color: white;">■</span> 206,25
FU-BLF-5060-RGB-001	Light Ribbon: smd5060, 12Vdc, 5meter/reel,500*10*2.4mm, 150 leds, 3-1 RGB <span style="color: red;">■</span> <span style="color: green;">■</span> <span style="color: blue;">■</span> 244,25
<b>Notas:</b> 1. Flexible, ancho 8 mm , grosor 2,4 mm. Cinta con adhesivo posterior. 2. La cinta de leds se puede cortar cada tres leds por la zona de corte establecida. 3. La corriente necesaria es de 1.7A / 2A por cada rollo de 5 mts de un color. Si es tricolor el consumo son 3A. Vcc: 12 Vdc en todos los casos.	
<b>Aplicaciones:</b> iluminación decoratiava, fondo de panel, señalización de caminos, mobiliario, señales a led, iluminacion decorativa del automovil,...etc.	
<b>Rollos de LEDs SMD Flexible y adhesivo con Iluminación lateral</b>	
FU-BLF-3010-RO-001	Light Ribbon: smd3010, 12Vdc, 3 meter/reel, 500*5*1.35mm, 180leds, red <span style="color: red;">■</span> 92,27
FU-BLF-3010-AB-001	Light Ribbon: smd3010, 12Vdc, 3 meter/reel, 500*5*1.35mm, 180leds, yellow <span style="color: yellow;">■</span> 92,27
FU-BLF-3010-AZ-001	Light Ribbon: smd3010, 12Vdc, 3 meter/reel, 500*5*1.35mm, 180leds, blue <span style="color: blue;">■</span> 92,27
FU-BLF-3010-VE-001	Light Ribbon: smd3010, 12Vdc, 3 meter/reel, 500*5*1.35mm, 180leds, green <span style="color: green;">■</span> 100,41
FU-BLF-3010-BF-001	Light Ribbon: smd3010, 12Vdc, 3 meter/reel, 500*5*1.35mm, 180leds, white <span style="color: white;">■</span> 116,70
<b>Cinta adhesiva de leds 5 mm.</b>	
FU-BLF-5MML300-BF-001	FlexHorse: through-hole led, 60 degree, 5 meter/reel, 300 leds, white <span style="color: white;">■</span> 141,12
FU-BLF-5MML300-RO-001	FlexHorse: through-hole led, 60 degree, 5 meter/reel, 300 leds, red <span style="color: red;">■</span> 130,26
FU-BLF-5MML300-AZ-001	FlexHorse: through-hole led, 60 degree, 5 meter/reel, 300 leds, blue <span style="color: blue;">■</span> 130,26
FU-BLF-5MML300-VE-001	FlexHorse: through-hole led,60degree, 5meter/reel, 300leds, green <span style="color: green;">■</span> 130,26
FU-BLF-5MML300-AB-001	FlexHorse: through-hole led, 60degree, 5meter/reel, 300leds, yellow <span style="color: yellow;">■</span> 130,26
<b>Notas:</b> 1. Flexible, ancho 8 mm , grosor 2,4 mm. Cinta con adhesivo posterior. 2. La cinta de leds se puede cortar cada tres leds por la zona de corte establecida. 3. La corriente necesaria es de 1.7A / 2A por cada rollo de 5 mts de un color. Si es tricolor el consumo son 3A. Vcc: 12 Vdc en todos los casos.	



## LISTA DE PRECIOS PVP<sub>r</sub>

<p><b>Cinta leds 5 mm semiflexible</b></p>			
<p>FU-BLR-5MML30-BF-001</p>	<p>Rockhorse: through-hole led,30degree, 0.50meter/pcs, 30leds, white</p>		<p>13,03</p>
<p>FU-BLR-5MML30-RO-001</p>	<p>Rockhorse: through-hole led, 30degree, 0.50meter/pcs, 30leds, red</p>		<p>13,03</p>
<p>FU-BLR-5MML30-AZ-001</p>	<p>Rockhorse: through-hole led, 30degree, 0.50meter/pcs,30leds, blue</p>		<p>11,40</p>
<p>FU-BLR-5MML30-VE-001</p>	<p>Rockhorse: through-hole led, 30degree,0.50meter/pcs, 30leds, green</p>		<p>13,03</p>
<p>FU-BLR-5MML30-AB-001</p>	<p>Rockhorse: through-hole led, 30degree,0.50meter/pcs, 30leds, yellow</p>		<p>11,94</p>
<p>Notas: 1. Flexible, ancho 8 mm , grosor 0,8 mm.                  2. Se puede cortar cada tres leds con conector incorporado sobre PCB.                  3. Cada pieza de 0,5 mts consume 140-190 mA con Vcc 12 VDC</p> <p><b>Aplicaciones:</b> iluminación decoratiava, fondo de panel, señalización de caminos, mobiliario, señales a led, iluminacion decorativa del automovil,...etc.</p>			
<p><b>Cinta leds 5 mm semiflexible estanca</b></p>			
<p>FU-BLF-5MML96-BF-001</p>	<p>Waterproof light ribbon: through-hole led, 1 meter/pcs, 96 leds, white</p>		<p>44,78</p>
<p>FU-BLF-5MML96-RO-001</p>	<p>Waterproof light ribbon: through-hole led, 1 meter/pcs, 96 leds, red</p>		<p>40,71</p>
<p>FU-BLF-5MML96-AZ-001</p>	<p>Waterproof light ribbon: through-hole led, 1 meter/pcs, 96 leds, blue</p>		<p>40,71</p>
<p>FU-BLF-5MML96-VE-001</p>	<p>Waterproof light ribbon: through-hole led, 1 meter/pcs, 96 leds, green</p>		<p>44,78</p>
<p>FU-BLF-5MML96-AB-001</p>	<p>Waterproof light ribbon: through-hole led, 1 meter/pcs, 96 leds, yellow</p>		<p>40,71</p>
<p><b>ROLLO LEDs SMD Estanca Flexible, Iluminación frontal, con adhesivo</b></p>			
<p>FU-BLF-2012L48-BF-001</p>	<p>Waterproof Light Ribbon: smd2012, 12Vdc, 1 meters/pcs, 48leds, white</p>		<p>37,99</p>
<p>FU-BLF-2012L48-RO-001</p>	<p>Waterproof Light Ribbon: smd2012, 12Vdc, 1 meters/pcs, 48leds, red</p>		<p>35,28</p>
<p>FU-BLF-2012L48-AZ-001</p>	<p>Waterproof Light Ribbon: smd2012, 12Vdc, 1 meters/pcs, 48leds, blue</p>		<p>35,28</p>
<p>FU-BLF-2012L48-VE-001</p>	<p>Waterproof Light Ribbon: smd2012, 12Vdc, 1 meters/pcs, 48leds, green</p>		<p>37,99</p>
<p>FU-BLF-2012L48-AB-001</p>	<p>Waterproof Light Ribbon: smd2012, 12Vdc, 1 meters/pcs, 48leds, yellow</p>		<p>35,28</p>
<p>FU-BLF-2012L48-NA-001</p>	<p>Waterproof Light Ribbon: smd2012, 12Vdc, 1 meters/pcs, 48leds, orange</p>		<p>32,57</p>





























## LISTA DE PRECIOS PVPr

<b>Modulos Leds estancos con soporte PVC</b>			
FU-BLP-105L2-BF-001	LED module: PVC, Super Flux 2-leds, waterproof, dc12v, white		1,98
FU-BLP-105L2-RO-001	LED module: PVC, Super Flux 2-leds, waterproof, dc12v, red		1,95
FU-BLP-105L2-AZ-001	LED module: PVC, Super Flux 2-leds, waterproof, dc12v, blue		1,95
FU-BLP-105L2-VE-001	LED module: PVC, Super Flux 2-leds, waterproof, dc12v, green		1,98
FU-BLP-105L2-AB-001	LED module: PVC, Super Flux 2-leds, waterproof, dc12v, yellow		1,95
FU-BLP-105L4-BF-001	LED module: PVC, Super Flux 4-leds, waterproof, dc12v, white		3,42
FU-BLP-105L4-RO-001	LED module: PVC, Super Flux 4-leds, waterproof, dc12v, red		3,28
FU-BLP-105L4-AZ-001	LED module: PVC, Super Flux 4-leds, waterproof, dc12v, blue		3,28
FU-BLP-105L4-VE-001	LED module: PVC, Super Flux 4-leds, waterproof, dc12v, green		3,34
FU-BLP-105L4-AB-001	LED module: PVC, Super Flux 4-leds, waterproof, dc12v, yellow		3,28
FU-BLP-105L6-BF-001	LED module: PVC, Super Flux 6-leds, waterproof, dc12v, white		5,18
FU-BLP-105L6-RO-001	LED module: PVC, Super Flux 6-leds, waterproof, dc12v, red		4,94
FU-BLP-105L6-AZ-001	LED module: PVC, Super Flux 6-leds, waterproof, dc12v, blue		4,94
FU-BLP-105L6-VE-001	LED module: PVC, Super Flux 6-leds, waterproof, dc12v, green		5,18
FU-BLP-105L6-AB-001	LED module: PVC, Super Flux 6-leds, waterproof, dc12v, yellow		4,94
<b>Notas:</b> 1. Cada módulo se suministra con cable incorporado. 2. Tamaño módulo de 2 leds: 1.5x2.3x1.3cm, 4 leds: 3x2.3x1.3cm, 6 leds: 3.5x3.5x1.3cm 3. Posibilidad de blanco cálido y blanco frio al mismo precio del blanco tradicional <b>Aplicaciones:</b> anuncios luminosos de exterior, letreros de intemperie, contadores luminosos, iluminación de intemperie en general			
<b>Modulos Leds estancos con soporte de aluminio</b>			
FU-BLA-112L2-BF-001	LED module: AL, Super Flux 2-leds, waterproof, dc12v, white		1,63
FU-BLA-112L2-RP-001	LED module: AL, Super Flux 2-leds, waterproof, dc12v, red		1,57
FU-BLA-112L2-AZ-001	LED module: AL, Super Flux 2-leds, waterproof, dc12v, blue		1,49
FU-BLA-112L2-VE-001	LED module: AL, Super Flux 2-leds, waterproof, dc12v, green		1,57
FU-BLA-112L2-AB-001	LED module: AL, Super Flux 2-leds, waterproof, dc12v, yellow		1,57
FU-BLA-112L4-BF-001	LED module: AL, Super Flux 4-leds, waterproof, dc12v, white		2,52
FU-BLA-112L4-RP-001	LED module: AL, Super Flux 4-leds, waterproof, dc12v, red		2,50
FU-BLA-112L4-AZ-001	LED module: AL, Super Flux 4-leds, waterproof, dc12v, blue		2,44
FU-BLA-112L4-VE-001	LED module: AL, Super Flux 4-leds, waterproof, dc12v, green		2,66
FU-BLA-112L4-AB-001	LED module: AL, Super Flux 4-leds, waterproof, dc12v, yellow		2,58
FU-BLA-112L5-BF-001	LED module: AL, Super Flux 5-leds, waterproof, dc12v, white		2,99
FU-BLA-112L5-RP-001	LED module: AL, Super Flux 5-leds, waterproof, dc12v, red		2,85
FU-BLA-112L5-AZ-001	LED module: AL, Super Flux 5-leds, waterproof, dc12v, blue		2,71
FU-BLA-112L5-VE-001	LED module: AL, Super Flux 5-leds, waterproof, dc12v, green		2,99
FU-BLA-112L5-AB-001	LED module: AL, Super Flux 5-leds, waterproof, dc12v, yellow		2,85
<b>Notas:</b> 1. Cada módulo se suministra con cable incorporado. 2. Tamaño módulo de 2 leds: 1.9x3.67x0.65cm, 4 leds: 3.8x3.67x0.65cm 3. 4leds is 34-44mA. Corriente de trabajo: modulo 2 leds: 20-35mA, módulo de 4 leds: 34-44mA <b>Aplicaciones:</b> anuncios luminosos de exterior, letreros de intemperie, contadores luminosos, iluminación de intemperie en general			




































## LISTA DE PRECIOS PVPr

<b>Barra corta de leds estancos</b>			
FU-BLP-112L3-BF-001	Short light bar: PVC, Waterproof, super Flux 3-led, 7.5*1.5cm, dc12v, white	☐	2,14
FU-BLP-112L3-RO-001	Short light bar: PVC, Waterproof, super Flux 3-led, 7.5*1.5cm, dc12v, red	■	2,06
FU-BLP-112L3-AZ-001	Short light bar: PVC, Waterproof, super Flux 3-led, 7.5*1.5cm, dc12v, blue	■	2,06
FU-BLP-112L3-VE-001	Short light bar: PVC, Waterproof, super Flux 3-led, 7.5*1.5cm, dc12v, green	■	2,14
FU-BLP-112L3-AB-001	Short light bar: PVC, Waterproof, super Flux 3-led, 7.5*1.5cm, dc12v, yellow	■	2,06
<b>Barras de leds PCB corta ( 30~100mm)</b>			
FU-BLR-112L1-BF-001	Short light bar: PCB, super Flux 1-led, snap-in, 2*1.5cm, dc12v, white	☐	1,06
FU-BLR-112L1-RO-001	Short light bar: PCB, super Flux 1-led, snap-in, 2*1.5cm, dc12v, red	■	1,06
FU-BLR-112L1-AZ-001	Short light bar: PCB, super Flux 1-led, snap-in, 2*1.5cm, dc12v, blue	■	1,06
FU-BLR-112L1-VE-001	Short light bar: PCB, super Flux 1-led, snap-in, 2*1.5cm, dc12v, green	■	1,06
FU-BLR-112L1-AB-001	Short light bar: PCB, super Flux 1-led, snap-in, 2*1.5cm, dc12v, yellow	■	1,06
FU-BLR-112L2-BF-001	Short light bar: PCB, super Flux 2-led, snap-in, 4*1.5cm, dc12v, white	☐	1,52
FU-BLR-112L2-RO-001	Short light bar: PCB, super Flux 2-led, snap-in, 4*1.5cm, dc12v, red	■	1,52
FU-BLR-112L2-AZ-001	Short light bar: PCB, super Flux 2-led, snap-in, 4*1.5cm, dc12v, blue	■	1,52
FU-BLR-112L2-VE-001	Short light bar: PCB, super Flux 2-led, snap-in, 4*1.5cm, dc12v, green	■	1,52
FU-BLR-112L2-AB-001	Short light bar: PCB, super Flux 2-led, snap-in, 4*1.5cm, dc12v, yellow	■	1,52
FU-BLR-112L3-BF-001	Short light bar: PCB, super Flux 3-led, snap-in, 6*1.5cm, dc12v, white	☐	1,87
FU-BLR-112L3-RO-001	Short light bar: PCB, super Flux 3-led, snap-in, 6*1.5cm, dc12v, red	■	1,68
FU-BLR-112L3-AZ-001	Short light bar: PCB, super Flux 3-led, snap-in, 6*1.5cm, dc12v, blue	■	1,87
FU-BLR-112L3-VE-001	Short light bar: PCB, super Flux 3-led, snap-in, 6*1.5cm, dc12v, green	■	1,87
FU-BLR-112L3-AB-001	Short light bar: PCB, super Flux 3-led, snap-in, 6*1.5cm, dc12v, yellow	■	1,68
FU-BLR-112L3-RGB-001	Short light bar: PCB, SF 3-led, snap-in, 7.5*1.5cm, dc12v, 3-1 RGB	■ ■ ■	3,72
FU-BLR-112L3-RGB-002	Short light bar: PCB, SF 3-led, snap-in, 7.5*1.5cm, dc12v, single R/G/B	■ ■ ■	2,47
FU-BLR-112L4-BF-001	Short light bar: PCB, super Flux 4-led, snap-in, 8*1.5cm, dc12v, white	☐	2,50
FU-BLR-112L4-RO-001	Short light bar: PCB, super Flux 4-led, snap-in, 8*1.5cm, dc12v, red	■	2,39
FU-BLR-112L4-AZ-001	Short light bar: PCB, super Flux 4-led, snap-in, 8*1.5cm, dc12v, blue	■	2,50
FU-BLR-112L4-VE-001	Short light bar: PCB, super Flux 4-led, snap-in, 8*1.5cm, dc12v, green	■	2,50
FU-BLR-112L4-AB-001	Short light bar: PCB, super Flux 4-led, snap-in, 8*1.5cm, dc12v, yellow	■	2,39
FU-BLR-112L5-BF-001	Short light bar: PCB, super Flux 5-led, snap-in, 9*1.5cm, dc12v, white	☐	2,93
FU-BLR-112L5-RO-001	Short light bar: PCB, super Flux 5-led, snap-in, 9*1.5cm, dc12v, red	■	2,58
FU-BLR-112L5-AZ-001	Short light bar: PCB, super Flux 5-led, snap-in, 9*1.5cm, dc12v, blue	■	2,93
FU-BLR-112L5-VE-001	Short light bar: PCB, super Flux 5-led, snap-in, 9*1.5cm, dc12v, green	■	2,93
FU-BLR-112L5-AB-001	Short light bar: PCB, super Flux 5-led, snap-in, 9*1.5cm, dc12v, yellow	■	2,58
FU-BLR-112L6-BF-001	Short light bar: PCB, super Flux 6-led, snap-in, 15.6*1.5cm, dc12v, white	☐	3,64
FU-BLR-112L6-RO-001	Short light bar: PCB, super Flux 6-led, snap-in, 15.6*1.5cm, dc12v, red	■	3,56
FU-BLR-112L6-AZ-001	Short light bar: PCB, super Flux 6-led, snap-in, 15.6*1.5cm, dc12v, blue	■	3,64
FU-BLR-112L6-VE-001	Short light bar: PCB, super Flux 6-led, snap-in, 15.6*1.5cm, dc12v, green	■	3,64
FU-BLR-112L6-AB-001	Short light bar: PCB, super Flux 6-led, snap-in, 15.6*1.5cm, dc12v, yellow	■	3,56
<b>Note:</b> 1. With connecting wire and mounting brackets for trouble-free installation 2. Working current:1-3leds version 20mA, 4-6leds version 40mA.			













## LISTA DE PRECIOS PVPr

Barras de leds estancas larga (400~1000mm)					
FU-BLR-112L24-BF-001	Long light bar: super flux 24-led, waterproof, 42*1.8cm, dc12v,Pure White				19,54
FU-BLR-112L24-BC-001	Long light bar: super flux 24-led, waterproof, 42*1.8cm, dc12v, Warm White				19,54
FU-BLR-112L24-RO-001	Long light bar: super flux 24-led, waterproof, 42*1.8cm, dc12v, red				19,00
FU-BLR-112L24-AZ-001	Long light bar: super flux 24-led, waterproof, 42*1.8cm, dc12v, blue				19,00
FU-BLR-112L24-V-001	Long light bar: super flux 24-led, waterproof, 42*1.8cm, dc12v, green				19,00
FU-BLR-112L24-AB-001	Long light bar: super flux 24-led, waterproof, 42*1.8cm, dc12v, yellow				19,00
FU-BLR-112L20-RGB-002	Long light bar: SF 20-led, with waterproof connector, 33*1.3cm, dc5v, 3-1 RGB				27,65
FU-BLR-112L24-RGB-001	Long light bar:SF 24-led,with waterproof connector,42*1.8cm,dc12v,single R/G/B				20,25
FU-BLR-112L25-BF-001	Long light bar: super flux 25-led, waterproof, 40*1.8cm, dc12v, pure white				18,75
FU-BLR-112L25-BC-001	Long light bar: super flux 25-led, waterproof, 40*1.8cm, dc12v,warm white				18,75
FU-BLR-112L25-RO-001	Long light bar: super flux 25-led, waterproof, 40*1.8cm, dc12v, red				16,80
FU-BLR-112L25-AZ-001	Long light bar: super flux 25-led, waterproof, 40*1.8cm, dc12v, blue				17,53
FU-BLR-112L25-V-001	Long light bar: super flux 25-led, waterproof, 40*1.8cm, dc12v, green				18,51
FU-BLR-112L25-AB-001	Long light bar: super flux 25-led, waterproof, 40*1.8cm, dc12v, Yellow				18,02
FU-BLR-112L30-BF-001	Long light bar: super flux 30-led, waterproof, 52*1.8cm, dc12v, pure white				23,07
FU-BLR-112L30-BC-001	Long light bar: super flux 30-led, waterproof, 52*1.8cm, dc12v,warm white				23,07
FU-BLR-112L30-RO-001	Long light bar: super flux 30-led, waterproof, 52*1.8cm, dc12v, red				21,71
FU-BLR-112L30-AZ-001	Long light bar: super flux 30-led, waterproof, 52*1.8cm, dc12v, blue				21,71
FU-BLR-112L30-V-001	Long light bar: super flux 30-led, waterproof, 52*1.8cm, dc12v, green				21,71
FU-BLR-112L30-AB-001	Long light bar: super flux 30-led, waterproof, 52*1.8cm, dc12v, yellow				21,71
FU-BLR-112L50-BF-001	Long light bar: super flux 50-led, waterproof, 78*1.8cm, dc12v, pure white				35,80
FU-BLR-112L50-BC-001	Long light bar: super flux 50-led, waterproof, 78*1.8cm, dc12v,warm white				35,80
FU-BLR-112L50-RO-001	Long light bar: super flux 50-led, waterproof, 78*1.8cm, dc12v, red				31,83
FU-BLR-112L50-AZ-001	Long light bar: super flux 50-led, waterproof, 78*1.8cm, dc12v, blue				33,08
FU-BLR-112L50-V-001	Long light bar: super flux 50-led, waterproof, 78*1.8cm, dc12v, green				35,28
FU-BLR-112L50-AB-001	Long light bar: super flux 50-led, waterproof, 78*1.8cm, dc12v, yellow				34,06
FU-BLR-112L60-BF-001	Long light bar: super flux 60-led, waterproof, 100*1.8cm, dc12v, pure white				43,96
FU-BLR-112L60-BC-001	Long light bar: super flux 60-led, waterproof, 100*1.8cm, dc12v, warm white				43,96
FU-BLR-112L60-RO-001	Long light bar: super flux 60-led, waterproof, 100*1.8cm, dc12v, red				40,71
FU-BLR-112L60-AZ-001	Long light bar: super flux 60-led, waterproof, 100*1.8cm, dc12v, blue				40,71
FU-BLR-112L60-V-001	Long light bar: super flux 60-led, waterproof, 100*1.8cm, dc12v, green				40,71
FU-BLR-112L60-AB-001	Long light bar: super flux 60-led, waterproof, 100*1.8cm, dc12v, yellow				40,71
FU-BLR-112L60-RGB-001	Long light bar: SF 60-led, with waterproof connector, 100*1.8cm,dc12v, single R/G/B				40,98
<p><b>Note:</b> 1. Se suministra con conector macho hembra estancos en los extremos o con cable pelado                  2. Medidas estándar de 40cm, 50cm,80cm, and 100cm.                  3. Consumo de corriente:, 160mA para 24leds y 25leds, 200mA 30leds, 340mA 50leds, 400mA 60leds</p> <p><b>Aplicacion:</b> Iluminación en exteriores en general.</p>					





















## LISTA DE PRECIOS PVPr

<p><b>Barras PCB con leds SMD</b></p>		
<p>FU-BLR-3528-BF-001</p>	<p>Long light bar: smd3528, 30-led, cuttable, 48*0.8cm, dc12v, pure white</p>	<p> 16,80</p>
<p>FU-BLR-3528-BC-001</p>	<p>Long light bar: smd3528, 30-led, cuttable, 48*0.8cm, dc12v, warm white</p>	<p> 16,80</p>
<p>FU-BLR-3528-RO-001</p>	<p>Long light bar: smd3528, 30-led, cuttable, 48*0.8cm, dc12v, red</p>	<p> 12,35</p>
<p>FU-BLR-3528-AZ-001</p>	<p>Long light bar: smd3528, 30-led, cuttable, 48*0.8cm, dc12v, blue</p>	<p> 13,57</p>
<p>FU-BLR-3528-VE-001</p>	<p>Long light bar: smd3528, 30-led, cuttable, 48*0.8cm, dc12v, green</p>	<p> 13,57</p>
<p>FU-BLR-3528-AB-006</p>	<p>Long light bar: smd3528, 30-led, cuttable, 48*0.8cm, dc12v, yellow</p>	<p> 14,82</p>
<p>FU-BLR5060L30RGB-001</p>	<p>Long light bar: smd5060, 30-led, cuttable, 57*0.8cm, dc12v, RGB 3-1</p>	<p> 39,97</p>
<p><b>Leds de alta potencia</b></p>		
<p>*</p>	<p>High Power LED: 1W, 1.8-2.2V, 350mA, 30-40Lm, red, Emitter only</p>	<p> 2,20</p>
<p>*</p>	<p>High Power LED: 1W, 1.8-2.2V, 350mA, 30-40Lm, red, Star shape</p>	<p> 2,82</p>
<p>*</p>	<p>High Power LED: 1W, 3.0-3.8V, 350mA, 30-40Lm, green, Emitter only</p>	<p> 2,63</p>
<p>*</p>	<p>High Power LED: 1W, 3.0-3.8V, 350mA, 30-40Lm, green, Star shape</p>	<p> 3,26</p>
<p>*</p>	<p>High Power LED: 1W, 3.0-3.8V, 350mA, 50-65Lm, white, Emitter only</p>	<p> 4,61</p>
<p>*</p>	<p>High Power LED: 1W, 3.0-3.8V, 350mA, 50-65Lm, white, Star shape</p>	<p> 5,24</p>
<p>*</p>	<p>High Power LED: 1W, 3.0-3.8V, 350mA, 35-50Lm, green, Emitter only</p>	<p> 4,61</p>
<p>*</p>	<p>High Power LED: 1W, 3.0-3.8V, 350mA, 35-50Lm, green, Star shape</p>	<p> 5,24</p>
<p>*</p>	<p>High Power LED: 1W, 3.0-3.8V, 350mA, 7-10Lm, blue, Emitter only</p>	<p> 4,07</p>
<p>*</p>	<p>High Power LED: 1W, 3.0-3.8V, 350mA, 7-10Lm, blue, Star shape</p>	<p> 4,69</p>
<p>*</p>	<p>High Power LED: 1W, 1.8-2.2V, 350mA, 30-45Lm, red, Emitter only</p>	<p> 4,72</p>
<p>*</p>	<p>High Power LED: 1W, 1.8-2.2V, 350mA, 30-45Lm, red, Star shape</p>	<p> 5,35</p>
<p>*</p>	<p>High Power LED: 1W, 1.8-2.2V, 350mA, 25-30Lm, yellow, Emitter only</p>	<p> 4,72</p>
<p>*</p>	<p>High Power LED: 1W, 1.8-2.2V, 350mA, 25-30Lm, yellow, Star shape</p>	<p> 5,35</p>
<p>*</p>	<p>High Power LED: 3W, 3.0-3.8V, 700mA, 90-110Lm, white, Emitter only</p>	<p> 5,70</p>
<p>*</p>	<p>High Power LED: 3W, 3.0-3.8V, 700mA, 90-110Lm, white, Star shape</p>	<p> 6,24</p>
<p>*</p>	<p>High Power LED: 3W, 3.0-3.8V, 700mA, 50-90Lm, green, Emitter only</p>	<p> 8,41</p>
<p>*</p>	<p>High Power LED: 3W, 3.0-3.8V, 700mA, 50-90Lm, green, Star shape</p>	<p> 9,23</p>
<p>*</p>	<p>High Power LED: 3W, 3.0-3.8V, 700mA, 13-18Lm, blue, Emitter only</p>	<p> 7,33</p>
<p>*</p>	<p>High Power LED: 3W, 3.0-3.8V, 700mA, 13-18Lm, blue, Star shape</p>	<p> 8,14</p>
<p>*</p>	<p>High Power LED: 3W, 1.8-2.2V, 700mA, 60-75Lm, red, Emitter only</p>	<p> 8,39</p>
<p>*</p>	<p>High Power LED: 3W, 1.8-2.2V, 700mA, 60-75Lm, red, Star shape</p>	<p> 9,01</p>
<p>*</p>	<p>High Power LED: 3W, 1.8-2.2V, 700mA, 50-60Lm, yellow, Emitter only</p>	<p> 8,39</p>
<p>*</p>	<p>High Power LED: 3W, 1.8-2.2V, 700mA, 50-60Lm, yellow, Star shape</p>	<p> 9,01</p>
<p>*</p>	<p>High Power LED: 3-1W, red: 1.8-2.2V, blue &amp; green: 3.0-3.8V, 350mA, 3-1 RGB color, Emitter only</p>	<p> 12,02</p>
<p>*</p>	<p>High Power LED: 3*1W, red: 1.8-2.2V, blue &amp; green: 3.0-3.8V, 350mA, single R/G/B color, Ring shape base, with lens</p>	<p> 20,90</p>





## LISTA DE PRECIOS PVP<sub>r</sub>

<b>Lamparas dicroicas de LEDs</b>			
FU-16-1W-CW-S	MR16 bulb: 1w led, cold white, 12V DC, 350mA, 40Lm, angle 25°		18,59
FU-16-1W-WW-S	MR16 bulb: 1w led, warm white, 12V DC, 350mA, 40Lm, angle 25°		19,00
FU-16-3W-CW-S	MR16 bulb: 3w led, cold white, 12V DC, 700mA, 80Lm, angle 25°		22,80
FU-16-3W-WW-S	MR16 bulb: 3w led, warm white, 12V DC, 700mA, 80Lm, angle 25°		23,88
FU-10-1W-CW-S	GU10 bulb: 1w led, cold white, 90-265V AC, 350mA, 25Lm, angle 25°		20,35
FU-10-1W-WW-S	GU10 bulb: 1w led, warm white, 90-265V AC, 350mA, 25Lm, angle 25°		20,76
FU-10-3W-CW-S	GU10 bulb: 3w led, cold white, 90-265V AC, 700mA, 80Lm, angle 25°		24,56
FU-10-3W-WW-S	GU10 bulb: 3w led, warm white, 90-265V AC, 700mA, 80Lm, angle 25°		25,65
FU-27-1W-CW-S	E27 bulb: 1w led, cold white, 90-265V AC, 350mA, 25Lm, angle 25°		20,35
FU-27-1W-WW-S	E27 bulb: 1w led, warm white, 90-265V AC, 350mA, 25Lm, angle 25°		20,76
FU-27-3W-CW-S	E27 bulb: 3w led, cold white, 90-265V AC, 700mA, 80Lm, angle 25°		24,56
FU-27-3W-WW-S	E27 bulb: 3w led, warm white, 90-265V AC, 700mA, 80Lm, angle 25°		25,65
<b>Barras PCB alta potencia de 0,5w</b>			
FU-BLR-7070L15RO-001	500MM*13MM Power LED Bar, 0.5W*15 LED, 12V DC, red		54,28
FU-BLR-7070L15AZ-001	500MM*13MM Power LED Bar, 0.5W*15 LED, 12V DC, blue		59,70
FU-BLR-7070L15VE-001	500MM*13MM Power LED Bar, 0.5W*15 LED, 12V DC, green		65,13
FU-BLR-7070L15BF-001	500MM*13MM Power LED Bar, 0.5W*15 LED, 12V DC, white		62,42
<b>Barras PCB alta potencia de 1w</b>			
FU-BLR-HBO1L12RO-001	570MM*20MM Power LED Bar, 1W*12 LED, 12V DC, red		70,56
FU-BLR-HBO1L12AB-002	570MM*20MM Power LED Bar, 1W*12 LED, 12V DC, yellow		70,56
FU-BLR-HBO1L12AZ-003	570MM*20MM Power LED Bar, 1W*12 LED, 12V DC, blue		75,99
FU-BLR-HBO1L12VE-004	570MM*20MM Power LED Bar, 1W*12 LED, 12V DC, green		92,27
FU-BLR-HBO1L12BF-005	570MM*20MM Power LED Bar, 1W*12 LED, 12V DC, white		84,13

## LISTA DE PRECIOS PVP<sub>r</sub>

<b>Lampara lineal de LEDs alta potencia</b>			
FU-BLW-WOL12BF-001	600MM*76.5MM Power LED Wall washer ( 12-LED ) , 110-220V, white		219,82
FU-BLW-WOL12RO-001	600MM*76.5MM Power LED Wall washer ( 12-LED ) , 110-220V, red		198,11
FU-BLW-WOL12AB-001	600MM*76.5MM Power LED Wall washer ( 12-LED ) , 110-220V, yellow		198,11
FU-BLW-WOL12VE-001	600MM*76.5MM Power LED Wall washer ( 12-LED ) , 110-220V, green		222,54
FU-BLW-WOL12AZ-001	600MM*76.5MM Power LED Wall washer ( 12-LED ) , 110-220V, blue		211,68
FU-BLW-WOL12RGB-001	600MM*65MM Power LED Wall washer ( 12-LED ) , 110-220V, 3-1 RGB		325,66
<b>Controladores y amplificadores para tiras de led</b>			
FU-RGB-CONTROL	RGB controller		46,14
FU-RGB-AMP	RGB amplifier		43,42
<b>Módulos de LED estancos de 1W</b>			
FU-HMO1L-RO-001	1W waterproof LED modules, 35*12.4mm, 12V DC, red		17,23
FU-HMO1L-AB-001	1W waterproof LED modules, 35*12.4mm, 12V DC, yellow		17,23
FU-HMO1L-AZ-001	1W waterproof LED modules, 35*12.4mm, 12V DC, blue		17,86
FU-HMO1L-VE-001	1W waterproof LED modules, 35*12.4mm, 12V DC, green		18,86
FU-HMO1L-BF-001	1W waterproof LED modules, 35*12.4mm, 12V DC, white		18,86
<b>Tiras de LED estancas de 0,5W</b>			
FU-BLA-7070L3-RO-001	3*0.5W waterproof LED modules, 12V DC, red		16,28
FU-BLA-7070L3-AB-001	3*0.5W waterproof LED modules, 12V DC, yellow		16,28
FU-BLA-7070L3-AZ-001	3*0.5W waterproof LED modules, 12V DC, blue		16,69
FU-BLA-7070L3-VE-001	3*0.5W waterproof LED modules, 12V DC, green		16,69
FU-BLA-7070L3-BF-001	3*0.5W waterproof LED modules, 12V DC, white		16,69

## LISTA DE PRECIOS PVP<sub>r</sub>

Iluminación lamparas alta potencia		
		
		
FU16-1X3W-45-XX	MR16(3*1w) bulb, 12V DC, 350mA, 40Lm, angle 45°, all color available	32,97
FU10-1X3W-45-XX	GU10(3*1w) bulb, 12V DC, 350mA, 40Lm, angle 45°, all color available	36,45
FU27-1X3W-45-XX	E27(3*1w) bulb, 12V DC, 350mA, 40Lm, angle 45°, all color available	36,45
FU-C015-XX-001	1W Power LED ceiling light, flat shape 20*52mm, 12V DC, all color available	22,52
FU-C015-XX-002	1W Power LED ceiling light, concavo-convex shape 20*52mm, 12V DC, all color available	22,52
FU-S045-XX-001	3*1W Power LED Downlighting, 255*60mm, all color available	56,99